

PHP Version 5.3.5

System	Linux XXXXXXXX 2.6.26-2-686-bigmem #1 SMP Thu Sep 16 20:29:07 UTC 2010 i686
Build Date	Jan 17 2011 15:30:42
Configure Command	'./configure' '--with-apxs2=/usr/bin/apxs2' '--program-suffix=535' '--prefix=/usr/share' '--bindir=/usr/bin' '--disable-cgi' '--libdir=/usr/share' '--enable-debug' '--with-config-file-path=/etc' '--with-mysql=/usr' '--enable-gd-native-ttf' '--enable-gd-imgstrttf' '--with-tiff-dir=/usr' '--with-jpeg-dir=/usr' '--with-png-dir=/usr' '--with-xpm-dir=/usr/X11R6' '--with-ldap=yes' '--with-zlib=yes' '--with-bz2' '--with-gmp' '--with-dom' '--with-ttf' '--with-mcal=/usr' '--with-imap' '--with-sablot' '--with-ftp' '--with-gettext' '--enable-yp' '--enable-bcmath' '--enable-trans-sid' '--enable-inline-optimization' '--enable-track-vars' '--enable-magic-quotes' '--enable-safe-mode' '--enable-sockets' '--enable-sysvsem' '--enable-sysvshm' '--enable-shmop' '--enable-calendar' '--enable-mbstring' '--enable-mbstr-enc-trans' '--enable-exif' '--enable-ftp' '--enable-memory-limit' '--enable-wddx' '--enable-filepro' '--enable-dbase' '--enable-ctype' '--disable-debug' '--enable-force-cgi-redirect' '--enable-discard-path' '--enable-sigchild' '--with-openssl' '--with-gd' '--with-pgsql=/usr' '--with-snmp'
Server API	Apache 2.0 Handler
Virtual Directory Support	disabled
Configuration File (php.ini) Path	/etc
Loaded Configuration File	/etc/php.ini
Scan this dir for additional .ini files	(none)
Additional .ini files parsed	(none)
PHP API	20090626
PHP Extension	20090626
Zend Extension	220090626
Zend Extension Build	API220090626,NTS
PHP Extension Build	API20090626,NTS
Debug Build	no
Thread Safety	disabled

Zend Memory Manager	enabled
Zend Multibyte Support	disabled
IPv6 Support	enabled
Registered PHP Streams	https, ftps, compress.zlib, compress.bzip2, php, file, glob, data, http, ftp, phar, zip, bfa
Registered Stream Socket Transports	tcp, udp, unix, udg, ssl, sslv3, sslv2, tls
Registered Stream Filters	zlib.*, bzip2.*, convert.iconv.*, mdecrypt.*, mdecrypt.*, string.rot13, string.toupper, string.tolower, string.strip_tags, convert.*, consumed, dechunk

This program makes use of the Zend Scripting Language Engine:
 Zend Engine v2.3.0, Copyright (c) 1998-2010 Zend Technologies
 with the ionCube PHP Loader v3.3.14, Copyright (c) 2002-2010, by ionCube Ltd., and
 with Zend Optimizer+ v4.1, Copyright (c) 1999-2010, by Zend Technologies

Configuration

apache2handler

Apache Version	Apache/2.2.9 (Debian) DAV/2 SVN/1.5.1 PHP/5.3.5 mod_ssl/2.2.9 OpenSSL/0.9.8g
Apache API Version	20051115
Server Administrator	webmaster@XXXXXXXXXXXX
Hostname:Port	XXXXXXXXXX:80
User/Group	XXXXXXXXXX
Max Requests	Per Child: 10 - Keep Alive: on - Max Per Connection: 100
Timeouts	Connection: 300 - Keep-Alive: 15
Virtual Server	Yes
Server Root	/etc/apache2
Loaded Modules	core mod_log_config mod_logio prefork http_core mod_so mod_headers mod_dav mod_dav_svn mod_dav_fs mod_auth_digest mod_authz_svn mod_deflate mod_authz_groupfile mod_authn_file mod_actions mod_negotiation mod_authz_user mod_speling mod_mime_magic mod_rewrite mod_expires mod_unique_id mod_cgi mod_suexec mod_dir mod_auth_basic mod_autoindex mod_authz_host mod_mime mod_alias mod_setenvif mod_php5 mod_include mod_ssl mod_rpaf-2

Directive	Local Value	Master Value
engine	1	1
last_modified	0	0
xbithack	0	0

Apache Environment

Variable	Value
SERVER_PORT	80
UNIQUE_ID	XXXXXXXX
HTTP_HOST	XXXXXXXX
HTTP_USER_AGENT	Mozilla/5.0 (Macintosh; Intel Mac OS X 10.6; rv:2.0.1) Gecko/20100101 Firefox/4.0.1
HTTP_ACCEPT	text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
HTTP_ACCEPT_LANGUAGE	de-de;de;q=0.8,en-us;q=0.5,en;q=0.3
HTTP_ACCEPT_ENCODING	gzip, deflate
HTTP_ACCEPT_CHARSET	ISO-8859-1,utf-8;q=0.7,*;q=0.7
HTTP_KEEP_ALIVE	115
HTTP_REFERER	XXXXXXXX
HTTP_COOKIE	XXXXXXXX
HTTP_DNT	1
HTTP_IF_MODIFIED_SINCE	Tue, 03 May 2011 12:53:40 GMT
HTTP_VIA	1.1 localhost (squid/3.0.STABLE19)
HTTP_X_FORWARDED_FOR	XXXXXXXX, XXXXXXXX
HTTP_CACHE_CONTROL	max-age=259200
HTTP_CONNECTION	keep-alive
PATH	/usr/local/bin:/usr/bin:/bin
SERVER_SIGNATURE	<address>Apache/2.2.9 (Debian) DAV/2 SVN/1.5.1 PHP/5.3.5 mod_ssl/2.2.9 OpenSSL/0.9.8g Server at XXXXXXXX Port 80</address>
SERVER_SOFTWARE	Apache/2.2.9 (Debian) DAV/2 SVN/1.5.1 PHP/5.3.5 mod_ssl/2.2.9 OpenSSL/0.9.8g
SERVER_NAME	XXXXXXXX

SERVER_ADDR	89.107.184.2
REMOTE_ADDR	79.228.17.213
DOCUMENT_ROOT	/home/www/wkb
SERVER_ADMIN	webmaster@XXXXXXXXX
SCRIPT_FILENAME	/home/www/wkb/index.php
REMOTE_PORT	43226
GATEWAY_INTERFACE	CGI/1.1
SERVER_PROTOCOL	HTTP/1.0
REQUEST_METHOD	GET
QUERY_STRING	<i>no value</i>
REQUEST_URI	/
SCRIPT_NAME	/index.php
force-response-1.0	true

HTTP Headers Information

HTTP Request Headers

HTTP Request	GET / HTTP/1.0
Host	wkb.behrmann.eu
User-Agent	Mozilla/5.0 (Macintosh; Intel Mac OS X 10.6; rv:2.0.1) Gecko/20100101 Firefox/4.0.1
Accept	text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Accept-Language	de-de;q=0.8,en-us;q=0.5,en;q=0.3
Accept-Encoding	gzip, deflate
Accept-Charset	ISO-8859-1,utf-8;q=0.7,*;q=0.7
Keep-Alive	115
Referer	XXXXXXXXX
Cookie	XXXXXXXXX
DNT	1
If-Modified-Since	Tue, 03 May 2011 12:53:40 GMT
Via	1.1 localhost (squid/3.0.STABLE19)
X-Forwarded-For	172.17.65.71, 79.228.17.213
Cache-Control	max-age=259200
Connection	keep-alive

HTTP Response Headers

X-Powered-By	PHP/5.3.5
X-Pingback	XXXXXXXXXX
Expires	Wed, 11 Jan 1984 05:00:00 GMT
Last-Modified	Tue, 03 May 2011 12:54:54 GMT
Cache-Control	no-cache, must-revalidate, max-age=0
Pragma	no-cache
Connection	close
Content-Type	text/html; charset=UTF-8

bcmath

BCMath support	enabled
----------------	---------

Directive	Local Value	Master Value
bcmath.scale	0	0

bz2

BZip2 Support	Enabled
Stream Wrapper support	compress.bzip2://
Stream Filter support	bzip2.decompress, bzip2.compress
BZip2 Version	1.0.5, 10-Dec-2007

calendar

Calendar support	enabled
------------------	---------

Core

PHP Version	5.3.5
-------------	-------

Directive	Local Value	Master Value
allow_call_time_pass_reference	On	On
allow_url_fopen	On	On
allow_url_include	Off	Off
always_populate_raw_post_data	Off	Off
arg_separator.input	&	&

arg_separator.output	&	&
asp_tags	Off	Off
auto_append_file	<i>no value</i>	<i>no value</i>
auto_globals_jit	On	On
auto_prepend_file	<i>no value</i>	<i>no value</i>
browscap	<i>no value</i>	<i>no value</i>
default_charset	<i>no value</i>	<i>no value</i>
default_mimetype	text/html	text/html
define_syslog_variables	Off	Off
disable_classes	<i>no value</i>	<i>no value</i>
disable_functions	<i>no value</i>	<i>no value</i>
display_errors	On	On
display_startup_errors	Off	Off
doc_root	<i>no value</i>	<i>no value</i>
docref_ext	<i>no value</i>	<i>no value</i>
docref_root	<i>no value</i>	<i>no value</i>
enable_dl	On	On
error_append_string	<i>no value</i>	<i>no value</i>
error_log	<i>no value</i>	<i>no value</i>
error_prepend_string	<i>no value</i>	<i>no value</i>
error_reporting	4983	<i>no value</i>
exit_on_timeout	Off	Off
expose_php	On	On
extension_dir	/usr/share/extensions/no-debug-non-zts-20090626	/usr/share/extensions/no-debug-non-zts-20090626
file_uploads	On	On
highlight.bg		
highlight.comment	#FF8000	#FF8000
highlight.default	#0000BB	#0000BB
highlight.html	#000000	#000000
highlight.keyword	#007700	#007700
highlight.string	#DD0000	#DD0000
html_errors	On	On
ignore_repeated_errors	Off	Off
ignore_repeated_source	Off	Off
ignore_user_abort	Off	Off

implicit_flush	Off	Off
include_path	/home/www/wkb/wp-content/plugins/tpc-memory-usage/library:./usr/share/php	./usr/share/php
log_errors	Off	Off
log_errors_max_len	1024	1024
magic_quotes_gpc	On	On
magic_quotes_runtime	Off	Off
magic_quotes_sybase	Off	Off
mail.add_x_header	Off	Off
mail.force_extra_parameters	<i>no value</i>	<i>no value</i>
mail.log	<i>no value</i>	<i>no value</i>
max_execution_time	30	30
max_file_uploads	20	20
max_input_nesting_level	64	64
max_input_time	-1	-1
memory_limit	64M	64M
open_basedir	<i>no value</i>	<i>no value</i>
output_buffering	0	0
output_handler	<i>no value</i>	<i>no value</i>
post_max_size	25M	25M
precision	14	14
realpath_cache_size	16K	16K
realpath_cache_ttl	120	120
register_argc_argv	On	On
register_globals	On	On
register_long_arrays	On	On
report_memleaks	On	On
report_zend_debug	On	On
request_order	<i>no value</i>	<i>no value</i>
safe_mode	Off	Off
safe_mode_exec_dir	/usr/local/php/bin	/usr/local/php/bin
safe_mode_gid	Off	Off
safe_mode_include_dir	<i>no value</i>	<i>no value</i>
sendmail_from	<i>no value</i>	<i>no value</i>
sendmail_path	/usr/sbin/sendmail -t -i	/usr/sbin/sendmail -t -i
serialize_precision	100	100

short_open_tag	On	On
SMTP	localhost	localhost
smtp_port	25	25
sql.safe_mode	Off	Off
track_errors	Off	Off
unserialize_callback_func	<i>no value</i>	<i>no value</i>
upload_max_filesize	25M	25M
upload_tmp_dir	<i>no value</i>	<i>no value</i>
user_dir	<i>no value</i>	<i>no value</i>
user_ini.cache_ttl	300	300
user_ini.filename	.user.ini	.user.ini
variables_order	EGPCS	EGPCS
xmlrpc_error_number	0	0
xmlrpc_errors	Off	Off
y2k_compliance	On	On
zend.enable_gc	On	On

ctype

ctype functions	enabled
-----------------	---------

curl

cURL support	enabled
cURL Information	7.18.2
Age	3
Features	
AsynchDNS	No
Debug	No
GSS-Negotiate	Yes
IDN	Yes
IPv6	Yes
Largefile	Yes
NTLM	Yes
SPNEGO	No
SSL	Yes
SSPI	No
krb4	No

libz	Yes
CharConv	No
Protocols	tftp, ftp, telnet, dict, ldap, ldaps, http, file, https, ftps, scp, sftp
Host	i486-pc-linux-gnu
SSL Version	OpenSSL/0.9.8g
ZLib Version	1.2.3.3

date

date/time support	enabled
"Olson" Timezone Database Version	2010.15
Timezone Database	internal
Default timezone	UTC

Directive	Local Value	Master Value
date.default_latitude	31.7667	31.7667
date.default_longitude	35.2333	35.2333
date.sunrise_zenith	90.583333	90.583333
date.sunset_zenith	90.583333	90.583333
date.timezone	Europe/Berlin	Europe/Berlin

dba

DBA support	enabled
Supported handlers	gdbm cdb cdb_make inifile flatfile

Directive	Local Value	Master Value
dba.default_handler	flatfile	flatfile

dom

DOM/XML	enabled
DOM/XML API Version	20031129
libxml Version	2.6.32
HTML Support	enabled
XPath Support	enabled
XPointer Support	enabled
Schema Support	enabled
RelaxNG Support	enabled

ereg

Regex Library

Bundled library enabled

exif

EXIF Support enabled

EXIF Version 1.4 \$Id: exif.c 293036 2010-01-03 09:23:27Z sebastian \$

Supported EXIF Version 0220

Supported filetypes JPEG,TIFF

Directive	Local Value	Master Value
exif.decode_jis_intel	JIS	JIS
exif.decode_jis_motorola	JIS	JIS
exif.decode_unicode_intel	UCS-2LE	UCS-2LE
exif.decode_unicode_motorola	UCS-2BE	UCS-2BE
exif.encode_jis	<i>no value</i>	<i>no value</i>
exif.encode_unicode	ISO-8859-15	ISO-8859-15

fileinfo

fileinfo support	enabled
version	1.0.5-dev

filter

Input Validation and Filtering enabled

Revision \$Revision: 298196 \$

Directive	Local Value	Master Value
filter.default	unsafe_raw	unsafe_raw
filter.default_flags	<i>no value</i>	<i>no value</i>

ftp

FTP support enabled

gd

GD Support	enabled
GD Version	bundled (2.0.34 compatible)
FreeType Support	enabled
FreeType Linkage	with freetype
FreeType Version	2.3.7
GIF Read Support	enabled
GIF Create Support	enabled
JPEG Support	enabled
libJPEG Version	6b
PNG Support	enabled
libPNG Version	1.2.27
WBMP Support	enabled
XPM Support	enabled
XBM Support	enabled

Directive	Local Value	Master Value
gd.jpeg_ignore_warning	0	0

gettext

GetText Support	enabled
-----------------	---------

gmp

gmp support	enabled
GMP version	4.2.2

hash

hash support	enabled
Hashing Engines	md2 md4 md5 sha1 sha224 sha256 sha384 sha512 ripemd128 ripemd160 ripemd256 ripemd320 whirlpool tiger128,3 tiger160,3 tiger192,3 tiger128,4 tiger160,4 tiger192,4 snefru snefru256 gost adler32 crc32 crc32b salsa10 salsa20 haval128,3 haval160,3 haval192,3 haval224,3 haval256,3 haval128,4 haval160,4 haval192,4 haval224,4 haval256,4 haval128,5 haval160,5 haval192,5 haval224,5 haval256,5

iconv

iconv support	enabled
iconv implementation	glibc
iconv library version	2.7

Directive	Local Value	Master Value
iconv.input_encoding	ISO-8859-1	ISO-8859-1
iconv.internal_encoding	ISO-8859-1	ISO-8859-1
iconv.output_encoding	ISO-8859-1	ISO-8859-1

imap

IMAP c-Client Version	2001
SSL Support	enabled
Kerberos Support	enabled

json

json support	enabled
json version	1.2.1

ldap

LDAP Support	enabled
RCS Version	\$Id: ldap.c 299434 2010-05-17 20:09:42Z pajoye \$
Total Links	0/unlimited
API Version	3001
Vendor Name	OpenLDAP
Vendor Version	20411

Directive	Local Value	Master Value
ldap.max_links	Unlimited	Unlimited

libxml

libXML support	active
libXML Compiled Version	2.6.32
libXML Loaded Version	20632

libXML streams

enabled

mbstring

Multibyte Support

enabled

Multibyte string engine

libmbfl

HTTP input encoding translation

disabled

mbstring extension makes use of "streamable kanji code filter and converter", which is distributed under the GNU Lesser General Public License version 2.1.

Multibyte (japanese) regex support

enabled

Multibyte regex (oniguruma) backtrack check

On

Multibyte regex (oniguruma) version

4.7.1

Directive	Local Value	Master Value
mbstring.detect_order	<i>no value</i>	<i>no value</i>
mbstring.encoding_translation	Off	Off
mbstring.func_overload	0	0
mbstring.http_input	pass	pass
mbstring.http_output	pass	pass
mbstring.http_output_conv_mimety pes	^(text/ application/xhtml\+xml)	^(text/ application/xhtml\+xml)
mbstring.internal_encoding	<i>no value</i>	<i>no value</i>
mbstring.language	neutral	neutral
mbstring.strict_detection	Off	Off
mbstring.substitute_character	<i>no value</i>	<i>no value</i>

mcrypt

**mcrypt
support**

enabled

**mcrypt_filter
support**

enabled

Version 2.5.7

Api No 20021217

Supported ciphers cast-128 gost rijndael-128 twofish arcfour cast-256 loki97 rijndael-192 saferplus wake blowfish-compatible des rijndael-256 serpent xtea blowfish enigma rc2 tripledes

Supported modes cbc cfb ctr ecb ncfb nofb ofb stream

Directive	Local Value	Master Value
mcrypt.algorithms_dir	<i>no value</i>	<i>no value</i>
mcrypt.modes_dir	<i>no value</i>	<i>no value</i>

mhash

MHASH support	Enabled
MHASH API Version	Emulated Support

mssql

MSSQL Support	enabled
Active Persistent Links	0
Active Links	0
Library version	FreeTDS

Directive	Local Value	Master Value
mssql.allow_persistent	On	On
mssql.batchsize	0	0
mssql.charset	<i>no value</i>	<i>no value</i>
mssql.compatability_mode	Off	Off
mssql.connect_timeout	5	5
mssql.datetimeconvert	On	On
mssql.max_links	Unlimited	Unlimited
mssql.max_persistent	Unlimited	Unlimited
mssql.max_procs	Unlimited	Unlimited
mssql.min_error_severity	10	10
mssql.min_message_severity	10	10
mssql.secure_connection	Off	Off
mssql.textlimit	Server default	Server default
mssql.textsize	Server default	Server default
mssql.timeout	60	60

mysql

MySQL Support	enabled
Active Persistent Links	0
Active Links	1

Client API version	5.0.51a
MYSQL_MODULE_TYPE	external
MYSQL_SOCKET	/var/run/mysqld/mysqld.sock
MYSQL_INCLUDE	-I/usr/include/mysql
MYSQL_LIBS	-L/usr/lib -lmysqlclient

Directive	Local Value	Master Value
mysql.allow_local_infile	On	On
mysql.allow_persistent	Off	Off
mysql.connect_timeout	60	60
mysql.default_host	<i>no value</i>	<i>no value</i>
mysql.default_password	<i>no value</i>	<i>no value</i>
mysql.default_port	<i>no value</i>	<i>no value</i>
mysql.default_socket	/var/run/mysqld/mysqld.sock	/var/run/mysqld/mysqld.sock
mysql.default_user	<i>no value</i>	<i>no value</i>
mysql.max_links	Unlimited	Unlimited
mysql.max_persistent	Unlimited	Unlimited
mysql.trace_mode	Off	Off

mysql

Mysqll Support	enabled
Client API library version	5.0.51a
Active Persistent Links	0
Inactive Persistent Links	0
Active Links	0
Client API header version	5.0.51a
MYSQLI_SOCKET	/var/run/mysqld/mysqld.sock

Directive	Local Value	Master Value
mysql.allow_local_infile	On	On
mysql.allow_persistent	On	On
mysql.default_host	<i>no value</i>	<i>no value</i>
mysql.default_port	3306	3306
mysql.default_pw	<i>no value</i>	<i>no value</i>
mysql.default_socket	<i>no value</i>	<i>no value</i>
mysql.default_user	<i>no value</i>	<i>no value</i>
mysql.max_links	Unlimited	Unlimited
mysql.max_persistent	Unlimited	Unlimited

mysqli.reconnect	Off	Off
------------------	-----	-----

openssl

OpenSSL support	enabled
OpenSSL Library Version	OpenSSL 0.9.8g 19 Oct 2007
OpenSSL Header Version	OpenSSL 0.9.8g 19 Oct 2007

pcre

PCRE (Perl Compatible Regular Expressions) Support	enabled
PCRE Library Version	8.10 2010-06-25

Directive	Local Value	Master Value
pcre.backtrack_limit	500000	100000
pcre.recursion_limit	100000	100000

PDO

PDO support	enabled
PDO drivers	mysql, sqlite, sqlite2

pdo_mysql

PDO Driver for MySQL	enabled
Client API version	5.0.51a

pdo_sqlite

PDO Driver for SQLite 3.x	enabled
SQLite Library	3.7.3

pgsql

PostgreSQL Support	enabled
PostgreSQL(libpq) Version	8.3.12
Multibyte character support	enabled
SSL support	enabled

Active Persistent Links	0
Active Links	0

Directive	Local Value	Master Value
pgsql.allow_persistent	On	On
pgsql.auto_reset_persistent	Off	Off
pgsql.ignore_notice	Off	Off
pgsql.log_notice	Off	Off
pgsql.max_links	Unlimited	Unlimited
pgsql.max_persistent	Unlimited	Unlimited

Phar

Phar: PHP Archive support	enabled
Phar EXT version	2.0.1
Phar API version	1.1.1
SVN revision	\$Revision: 305584 \$
Phar-based phar archives	enabled
Tar-based phar archives	enabled
ZIP-based phar archives	enabled
gzip compression	enabled
bzip2 compression	enabled
Native OpenSSL support	enabled

Phar based on pear/PHP_Archive, original concept by Davey Shafik.
 Phar fully realized by Gregory Beaver and Marcus Boerger.
 Portions of tar implementation Copyright (c) 2003-2009 Tim Kientzle.

Directive	Local Value	Master Value
phar.cache_list	<i>no value</i>	<i>no value</i>
phar.readonly	On	On
phar.require_hash	On	On

posix

Revision	\$Revision: 305507 \$
----------	-----------------------

Reflection

Reflection	enabled
------------	---------

session

Session Support	enabled
Registered save handlers	files user sqlite
Registered serializer handlers	php php_binary wddx

Directive	Local Value	Master Value
session.auto_start	Off	Off
session.bug_compat_42	On	On
session.bug_compat_warn	On	On
session.cache_expire	180	180
session.cache_limiter	nocache	nocache
session.cookie_domain	<i>no value</i>	<i>no value</i>
session.cookie_httponly	Off	Off
session.cookie_lifetime	0	0
session.cookie_path	/	/
session.cookie_secure	Off	Off
session.entropy_file	<i>no value</i>	<i>no value</i>
session.entropy_length	0	0
session.gc_divisor	100	100
session.gc_maxlifetime	1440	1440
session.gc_probability	1	1
session.hash_bits_per_character	4	4
session.hash_function	0	0
session.name	PHPSESSID	PHPSESSID
session.referer_check	<i>no value</i>	<i>no value</i>
session.save_handler	files	files
session.save_path	/tmp	/tmp
session.serialize_handler	php	php
session.use_cookies	On	On
session.use_only_cookies	On	On
session.use_trans_sid	0	0

shmop

shmop support	enabled
---------------	---------

SimpleXML

Simplexml support	enabled
Revision	\$Revision: 302715 \$
Schema support	enabled

snmp

NET-SNMP Support	enabled
NET-SNMP Version	5.4.1

soap

Soap Client	enabled
Soap Server	enabled

Directive	Local Value	Master Value
soap.wsdl_cache	1	1
soap.wsdl_cache_dir	/tmp	/tmp
soap.wsdl_cache_enabled	1	1
soap.wsdl_cache_limit	5	5
soap.wsdl_cache_ttl	86400	86400

sockets

Sockets Support	enabled
-----------------	---------

SPL

SPL support	enabled
Interfaces	Countable, OuterIterator, RecursiveIterator, SeekableIterator, SplObserver, SplSubject
Classes	AppendIterator, ArrayIterator, ArrayObject, BadFunctionCallException, BadMethodCallException, CachingIterator, DirectoryIterator, DomainException, EmptyIterator, FilesystemIterator, FilterIterator, GlobIterator, InfiniteIterator, InvalidArgumentException, IteratorIterator, LengthException, LimitIterator, LogicException, MultipleIterator, NoRewindIterator, OutOfBoundsException, OutOfRangeException, OverflowException, ParentIterator, RangeException, RecursiveArrayIterator, RecursiveCachingIterator, RecursiveDirectoryIterator, RecursiveFilterIterator, RecursiveIteratorIterator, RecursiveRegexIterator, RecursiveTreeIterator, RegexIterator, RuntimeException, SplDoublyLinkedList,

SplFileInfo, SplFileObject, SplFixedArray, SplHeap, SplMinHeap, SplMaxHeap, SplObjectStorage, SplPriorityQueue, SplQueue, SplStack, SplTempFileObject, UnderflowException, UnexpectedValueException

SQLite

SQLite support		enabled
PECL Module version	2.0-dev	\$Id: sqlite.c 305507 2010-11-18 15:22:22Z pajoye \$
SQLite Library	2.8.17	
SQLite Encoding	iso8859	

Directive	Local Value	Master Value
sqlite.assoc_case	0	0

sqlite3

SQLite3 support		enabled
SQLite3 module version		0.7-dev
SQLite Library		3.7.3

Directive	Local Value	Master Value
sqlite3.extension_dir	<i>no value</i>	<i>no value</i>

standard

Dynamic Library Support	enabled
Path to sendmail	/usr/sbin/sendmail -t -i

Directive	Local Value	Master Value
assert.active	1	1
assert.bail	0	0
assert.callback	<i>no value</i>	<i>no value</i>
assert.quiet_eval	0	0
assert.warning	1	1
auto_detect_line_endings	0	0
default_socket_timeout	60	60
from	<i>no value</i>	<i>no value</i>
safe_mode_allowed_env_vars	PHP_	PHP_
safe_mode_protected_env	LD_LIBRARY_PATH	LD_LIBRARY_PATH

_vars

url_rewriter.tags	a=href,area=href,frame=src,form =,fieldset=	a=href,area=href,frame=src,form =,fieldset=
user_agent	<i>no value</i>	<i>no value</i>

tidy

Tidy support

enabled

libTidy Release 6 November 2007

Extension Version 2.0 (\$Id: tidy.c 305507 2010-11-18 15:22:22Z pajoye \$)

Directive	Local Value	Master Value
tidy.clean_output	0	0
tidy.default_config	<i>no value</i>	<i>no value</i>

tokenizer

Tokenizer Support	enabled
-------------------	---------

wddx

WDDX Support

enabled

WDDX Session Serializer	enabled
-------------------------	---------

xml

XML Support	active
XML Namespace Support	active
libxml2 Version	2.6.32

xmlreader

XMLReader	enabled
-----------	---------

xmlrpc

core library version	xmlrpc-epi v. 0.51
php extension version	0.51
author	Dan Libby

homepage
open sourced by

<http://xmlrpc-epi.sourceforge.net>
Epinions.com

xmlwriter

XMLWriter enabled

xsl

XSL	enabled
libxslt Version	1.1.24
libxslt compiled against libxml Version	2.6.32
EXSLT	enabled
libxslt Version	1.1.24

Zend Optimizer+

Opcode Caching	Disabled
Optimization	Enabled
Startup	OK
Shared memory model	mmap

Directive	Local Value	Master Value
zend_optimizerplus.blacklist_filename	<i>no value</i>	<i>no value</i>
zend_optimizerplus.consistency_checks	0	0
zend_optimizerplus.dups_fix	Off	Off
zend_optimizerplus.enable	On	On
zend_optimizerplus.enable_file_override	Off	Off
zend_optimizerplus.enable_slow_optimizations	1	1
zend_optimizerplus.fast_shutdown	0	0
zend_optimizerplus.force_restart_timeout	180	180
zend_optimizerplus.inherited_hack	On	On
zend_optimizerplus.log_verbosity_level	1	1
zend_optimizerplus.max_accelerated_files	2000	2000
zend_optimizerplus.max_wasted_percentage	5	5
zend_optimizerplus.memory_consumption	10	10
zend_optimizerplus.optimization_level	0xFFFFFBBF	0xFFFFFBBF
zend_optimizerplus.preferred_memory_model	<i>no value</i>	<i>no value</i>
zend_optimizerplus.revalidate_freq	2	2

zend_optimizerplus.revalidate_path	Off	Off
zend_optimizerplus.save_comments	1	1
zend_optimizerplus.use_cwd	On	On
zend_optimizerplus.validate_timestamps	On	On

zip

Zip	enabled
Extension Version	\$Id: php_zip.c 305848 2010-11-30 11:04:06Z pajoye \$
Zip version	1.9.1
Libzip version	0.9.0

zlib

ZLib Support	enabled
Stream Wrapper support	compress.zlib://
Stream Filter support	zlib.inflate, zlib.deflate
Compiled Version	1.2.3.3
Linked Version	1.2.3.3

Directive	Local Value	Master Value
zlib.output_compression	Off	Off
zlib.output_compression_level	-1	-1
zlib.output_handler	<i>no value</i>	<i>no value</i>

Additional Modules

Module Name
ionCube Loader
sysvsem
sysvshm

Environment

Variable	Value
PATH	/usr/local/bin:/usr/bin:/bin
PWD	/home
LANG	C
SHLVL	1

PHP Variables

Variable	Value
PHP_SELF	/index.php
_COOKIE["wordpress_test_cookie"]	WP Cookie check
_COOKIE["wp-settings-2"]	imgsize=full&hidetb=1&editor=tinymce&urlbutton=fi le&m5=c&m3=c&m1=o&m13=c
_COOKIE["wp-settings-time-2"]	1304411417
_COOKIE["wordpress_logged_in_a23 333af9e66aaca52eabdbfb7d8dbb8"]	XXXXXXXXXX
_SERVER["SERVER_SOFTWARE"]	Apache/2.2.9 (Debian) DAV/2 SVN/1.5.1 PHP/5.3.5 mod_ssl/2.2.9 OpenSSL/0.9.8g
_SERVER["REQUEST_URI"]	/
_SERVER["SERVER_PORT"]	80
_SERVER["UNIQUE_ID"]	XXXXXXXXXX
_SERVER["HTTP_HOST"]	XXXXXXXXXX
_SERVER["HTTP_USER_AGENT"]	Mozilla/5.0 (Macintosh; Intel Mac OS X 10.6; rv:2.0.1) Gecko/20100101 Firefox/4.0.1
_SERVER["HTTP_ACCEPT"]	text/html,application/xhtml+xml,application/xml;q=0. 9,*/*;q=0.8
_SERVER["HTTP_ACCEPT_LANGUAGE"]	de-de,de;q=0.8,en-us;q=0.5,en;q=0.3
_SERVER["HTTP_ACCEPT_ENCODING"]	gzip, deflate
_SERVER["HTTP_ACCEPT_CHARSET"]	ISO-8859-1,utf-8;q=0.7,*;q=0.7
_SERVER["HTTP_KEEP_ALIVE"]	115
_SERVER["HTTP_REFERER"]	XXXXXXXXXX
_SERVER["HTTP_COOKIE"]	XXXXXXXXXX
_SERVER["HTTP_DNT"]	1
_SERVER["HTTP_IF_MODIFIED_SINCE"]	Tue, 03 May 2011 12:53:40 GMT
_SERVER["HTTP_VIA"]	1.1 localhost (squid/3.0.STABLE19)
_SERVER["HTTP_X_FORWARDED_FOR"]	XXXXXXXXXX, XXXXXXXXXX
_SERVER["HTTP_CACHE_CONTROL"]	max-age=259200
_SERVER["HTTP_CONNECTION"]	keep-alive
_SERVER["PATH"]	/usr/local/bin:/usr/bin:/bin
_SERVER["SERVER_SIGNATURE"]	<address>Apache/2.2.9 (Debian) DAV/2 SVN/1.5.1

PHP/5.3.5 mod_ssl/2.2.9 OpenSSL/0.9.8g Server at
XXXXXXX Port 80</address>

```
_SERVER["SERVER_NAME"]      XXXXXXXX
_SERVER["SERVER_ADDR"]      XXXXXXXX
_SERVER["REMOTE_ADDR"]      XXXXXXXX
_SERVER["DOCUMENT_ROOT"]    /home/www/wkb
_SERVER["SERVER_ADMIN"]     webmaster@XXXXXXX
_SERVER["SCRIPT_FILENAME"]  /home/www/wkb/index.php
_SERVER["REMOTE_PORT"]      43226
_SERVER["GATEWAY_INTERFACE"] CGI/1.1
_SERVER["SERVER_PROTOCOL"]  HTTP/1.0
_SERVER["REQUEST_METHOD"]   GET
_SERVER["QUERY_STRING"]     no value
_SERVER["SCRIPT_NAME"]      /index.php
_SERVER["PHP_SELF"]         /index.php
_SERVER["REQUEST_TIME"]     1304427294

_SERVER["argv"]             Array
                             (
                             )

_SERVER["argc"]             0
_ENV["PATH"]                /usr/local/bin:/usr/bin:/bin
_ENV["PWD"]                 /home
_ENV["LANG"]                C
_ENV["SHLVL"]               1
_ENV["_"]                   /usr/sbin/apache2
```

PHP License

This program is free software; you can redistribute it and/or modify it under the terms of the PHP License as published by the PHP Group and included in the distribution in the file: LICENSE

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.

If you did not receive a copy of the PHP license, or have any questions about PHP licensing, please contact license@php.net.